



**BIG**

6

by **BERNAT**

Completely revised. Now includes directions for both Sports and Worsted Weight yarns.

BOOKLET NO. 147 PRICE 50c



## \* A Distributed Proofreaders Canada eBook \*

This eBook is made available at no cost and with very few restrictions. These restrictions apply only if (1) you make a change in the eBook (other than alteration for different display devices), or (2) you are making commercial use of the eBook. If either of these conditions applies, please check with a <https://www.fadedpage.com> administrator before proceeding. Thousands more FREE eBooks are available at <https://www.fadedpage.com>.

This work is in the Canadian public domain, but may be under copyright in some countries. If you live outside Canada, check your country's copyright laws. **If the book is under copyright in your country, do not download or redistribute this file.**

*Title:* Bernat Big 6 [Sweaters to Knit and Crochet]

*Date of first publication:* 1967

*Author:* Bernat Yarns Limited

*Date first posted:* Dec. 4, 2020

*Date last updated:* Dec. 4, 2020

Faded Page eBook #20201211

This eBook was produced by: Stephen Hutcheson & the online Distributed Proofreaders Canada team at <https://www.pgdpCanada.net>



# **BIG 6 by BERNAT**

Completely revised. Now includes directions for both  
Sports and Worsted Weight yarns.

**BOOKLET NO. 147**

**PRICE 50c**

# BIG 6

*Turtle, Crew Neck, Boat Neck and the “V”—every right pullover is in this collection.*

*And the cardigans—they’re all here, the High V with its man-size pockets, the LOW CUT with its husky Cables.*

*Make any one in your choice of the Bernat yarns listed below. Directions written for both Sports and Worsted Weights.*

<b>Sports (S) or Worsted (W) Weight</b>	<b>Ounce Put- up</b>	<b>Yarn</b>	<b>Fiber Content</b>
<b>S</b>	2	<b>BERELLA® SPORTSPUN</b>	
<b>S</b>	2	<b>BERELLA® SPORTSPUN TWEED</b>	100% Orlon® Acrylic
<b>W</b>	4	<b>BERELLA® “4”</b>	Machine Washable & Dryable
<b>W</b>	4	<b>SESAME 4®</b>	

# HINTS FOR BETTER KNITTING AND CROCHETING

## STITCH GAUGE

The term “STITCH GAUGE” is the most important part of all knitting directions, since the sizing of any knitted garment is planned on this gauge. You **MUST** work to the gauge which is given or your finished work will not be the size indicated in the directions.

## STOCKINETTE STITCH

K 1 row, P 1 row alternately when working on straight needles. When working round and round on a circular needle or double point needles, knit every round.

## RIBBING

On the first row work in the ribbing pattern given. On all other rows, K over the K sts and P over the P sts.

## TO SLIP A STITCH

Whenever the directions specify a sl st, always insert the right hand needle in the st to be slipped as if to P, unless otherwise indicated.

## ABBREVIATIONS

K	knit
P	purl
st(s)	stitch(es)

inc	increase
dec	decrease
tog	together
yo	yarn over
beg	beginning
sl	slip
sl st	slip stitch
pssso	pass slip stitch over knit stitch
d p	double point
ch	chain

\*—this symbol indicates that the directions immediately following are to be repeated a given number of times.

“Work even” means to work without increasing or decreasing, always keeping pattern as established.

### **POUR CEUX QUI PARLENT FRANÇAIS**

K	tricoter à l'endroit
P	tricoter à l'envers
st(s)	maille(s)
inc	augmenter
dec	diminuer
tog	ensemble
y o	passez la maille par dessus l'aiguille
beg	commencement
sl	glissez
sl st	glissez 1 maille
pssso	passez la maille glissée par dessus
d p	aiguille à deux bouts
ch	chainette

The instructions for these sweaters have been planned on the following **FINISHED** measurements. Take your own

measurements and then, referring to the charts below, select the size you wish to make.

## CLASSIC PULLOVER

	<b>Small</b>	<b>Medium</b>	<b>Large</b>
Sizes	(36-38)	(40-42)	(44-46)
Chest Measurement	37"	41"	45"
Shoulder Back	16"	17"	18"
Armhole Depth	8½"	9"	9½"
Length to Underarm	15"	15½"	15½"
Sleeve Width	15"	16"	17"
Sleeve Length	18¾"	19¼"	19¾"

## RAGLAN PULLOVERS—CREW NECK AND V-NECK

	<b>Small</b>	<b>Medium</b>	<b>Large</b>
Sizes	(36-38)	(40-42)	(44-46)
Chest Measurement	37"	41"	45"
Length to Underarm	15"	15½"	15½"
Sleeve Width	18¾"	19¼"	19¾"
Sleeve Length	18¼"	18¾"	19¼"

## BOAT-NECK PULLOVER

	<b>Small</b>	<b>Medium</b>	<b>Large</b>
Sizes	(36-38)	(40-42)	(44-46)
Chest Measurement	37"	41"	45"
Shoulder Back	16"	17"	18"
Back of Neck	9"	9"	9"
Arm hole Depth	8½"	9"	9½"
Length to Underarm	15"	15½"	15½"
Sleeve Width	15"	16"	17"
Sleeve Length	18¾"	19¼"	9¾"



## CARDIGANS

	<b>Small</b>	<b>Medium</b>	<b>Large</b>
Sizes	(36-38)	(40-42)	(44-46)
Chest Measurement	39"	42"	46"
Shoulder Back	16"	17"	18"
Armhole Depth	9"	9½"	10"
Length to Underarm	15"	15½"	15½"
Sleeve Width	15"	16"	17"
Sleeve Length	18¾"	19¼"	19¾"

PRINTED IN U.S.A. ©1967

### YARN REQUIREMENTS—SIZES Small (36-38) Medium (40-42) and Large (44-46)

Yarn	Balls or Skns. for Pullovers	Balls or Skns. for Cardigans
<b>SPORTS WEIGHT YARNS</b>		
BERELLA SPORTSPUN	(9-9-9)	(9-9-10)
BERELLA SPORTSPUN TWEED	(9-9-9)	(9-9-10)
<b>WORSTED WEIGHT YARNS</b>		
BERNAT SESAME 4	(5-5-5)	(5-5-6)
BERELLA "4"	(5-5-5)	(5-5-6)

### ACCESSORIES REQUIRED:

Buttons for cardigans

### KNITTING NEEDLES REQUIRED:

#### For Sports Weight Yarn

1 pair each BERNAT-Aero straight knitting needles Nos. 3  
and 5

*(Canadian Needles Nos. 11 and 9)*

1 set BERNAT-Aero d p needles No. 3 for pullovers  
(*Canadian Needles No. 11*)

### **For Worsted Weight Yarn**

1 pair each BERNAT-Aero straight knitting needles Nos. 5  
and 8

(*Canadian Needles Nos. 9 and 6*)

1 set BERNAT-Aero d p needles No. 5 for pullovers  
(*Canadian Needles No. 9*)

OR ANY SIZE NEEDLES THAT WILL GIVE THE  
STITCH GAUGE GIVEN BELOW

### **GAUGE FOR SPORTS WEIGHT YARN**

6 sts = 1 inch      8 rows = 1 inch in stockinette or pattern  
st on No. 5 needles

### **GAUGE FOR WORSTED WEIGHT YARNS**

5 sts = 1 inch      7 rows = 1 inch in stockinette or pattern  
st on No. 8 needles

### **SIZE AND YARN DIRECTIONS**

*These directions are written for small size (36-38), medium size (40-42) and large size (44-46). The figures in the first set of parentheses are for sports weight yarns and those in the 2nd set of parentheses are for worsted weight yarns. Where only one number or set of figures is given, it applies to all sizes. We suggest that you circle, with a colored pencil, the size you are making.*

---


**Every effort has been made to have these directions accurate and complete; however, we cannot be responsible for variance of individual knitters, human errors, or typographical mistakes.**

---

*Emile Bernat & Sons Co.* Uxbridge, Mass.  
01569

In Canada: Bernat Yarns Limited. Scarborough, Ontario  
M1S 3P8

# **CREW NECK RAGLAN PULLOVER**



## *Shown in Berella “4”*

### **PATTERN STITCH**

Row 1: Knit.

Row 2: K 1, \* P 2, K 1, repeat from \* across row.

Repeat these two rows for pattern stitch.

**BACK:** Using smaller straight needles, cast on (112-124-136) (94-102-114) sts. K 1, P 1 in ribbing for 1½ inches, inc (0) (0-1-1) st at end of last row—(112-124-136) (94-103-115) sts. Change to larger needles and work even in pattern st until piece measures (15-15½-15½) inches. **SHAPE**

**RAGLAN ARMHOLES:** At the beg of each of the next 2 rows bind off (3-6-9) (1-3-7) sts. Dec 1 st each end of needle every other row (36-38-40) (32-33-35) times. Sl remaining (34-36-38) (28-31-31) sts onto a holder.


**FRONT:** Work to correspond to back until (50-52-54) (44-47-47) sts remain, ending with Row 1. **SHAPE NECK:** On the next row work 13 sts, sl centre (24-26-28) (18-21-21) sts onto a holder, join another ball of yarn and work last 13 sts. Working on both sides at once, at each arm edge continue to dec 1 st every other row 8 times more and **AT THE SAME TIME**, at each neck edge dec 1 st every other row 5 times. Fasten off.

**SLEEVES:** Using smaller straight needles, cast on (58-58-64) (46-52-52) sts. K 1, P 1 in ribbing for 2 inches. Change to larger needles and working in pattern st, inc 1 st each end

of needle every (1- $\frac{3}{4}$ - $\frac{3}{4}$ ) (1) inch (16-19-19) (15-14-17) times, forming new patterns as sts are increased. Work even in pattern as established on (90-96-102) (76-80-86) sts until piece measures (18 $\frac{1}{4}$ -18 $\frac{3}{4}$ -19 $\frac{1}{4}$ ) inches. **SHAPE RAGLAN CAP:** At the beg of each of the next 2 rows bind off (3-6-9) (1-3-7) sts. Dec 1 at each end of needle every 4th row (0-0-2) times; every other row (34-38-36) (30-32-31) times; **EVERY ROW** (4-0-0) (4-2-0) times. Sl remaining (8) (6) sts onto a holder.

**FINISHING:** Sew sleeves to back and front armholes. Sew underarm seams. **NECKBAND:** Using d p needles, with right side facing you pick up (116-120-124) (96-100-104) sts around neck, including sts from holders. K 1, P 1 in ribbing for 2 inches. Bind off. Fold neckband in half and hem. Steam lightly.

**CLASSIC PULLOVER WITH SADDLE  
SHOULDER**



***Shown in Berella "4"***



**Refer to pages [2](#) and [3](#) for Material-Needle-Gauge-Size Information.**

**BACK:** Using smaller straight needles, cast on (112-124-136) (94-104-114) sts. K 1, P 1 in ribbing for 1½ inches. Change to larger needles and work even in stockinette st until piece measures (15-15½-15½) inches, ending with a P row. **SHAPE ARMHOLES:** At the beg of each of the next 2 rows bind off (5-6-8) (4-5-7) sts. Dec 1 st each end of needle every other row (3-5-6) (3-4-5) times. Work even on (96-102-108) (80-86-90) sts until armholes measure (6¾-7¼-7¾) inches. **SHAPE SHOULDERS:** At the beg of each of the next 4 rows bind off (10-11-12) (8-9-10) sts. At the beg of each of the next 2 rows bind off (10-11-12) (9-10-10) sts. Sl remaining (36) (30) sts onto a holder.


**FRONT:** Work to correspond to back until armholes measure (5¾-6¼-6¾) inches—(96-102-108) (80-86-90) sts. **SHAPE NECK:** Work (36-39-42) (31-34-36) sts, sl centre (24) (18) sts onto a holder, join another ball of yarn and work last (36-39-42) (31-34-36) sts. Working on both sides at once, at each neck edge bind off 2 sts 3 times. **SHAPE SHOULDERS:** At each arm edge bind off (10-11-12) (8-9-10) sts twice and (10-11-12) (9-10-10) sts once.

**SLEEVES:** Working in stockinette st, work in same manner as sleeves of Crew Neck Pullover until piece measures (18¼-18¾-19¼) inches—(90-96-102) (76-80-86) sts. **SHAPE CAP:** At the beg of each of the next 2 rows bind off (5-6-8) (4-5-7) sts. Dec 1 st each end of needle every other row (1-3-6) (3-4-7) times; **EVERY ROW** (28-28-26) (22-22-20) times—(22) (18) sts. **SHAPE SADDLE:** Work in

stockinette st on (22) (18) sts until piece is same length as bound off sts of shoulder. Sl sts onto a holder.

**FINISHING:** Sew back and front shoulders to saddle. Sew underarm and sleeve seams. **TURTLENECK:** Using d p needles, with right side facing you pick up (116-120-124) (96-100-104) sts around neck, including sts from holders. K 1, P 1 in ribbing for 5 inches. Bind off loosely in ribbing. Steam lightly.

# V-NECK RAGLAN PULLOVER



***Shown in Berella Sportspun Tweed***

**Refer to pages [2](#) and [3](#) for Material-Needle-Gauge-Size Information.**

**BACK:** Work in same manner as back of Crew Neck Raglan Pullover.


**SLEEVES:** Work in same manner as sleeves of Crew Neck Raglan Pullover.

**FRONT:** Work to correspond to back until piece measures (15-15½-15½) inches, ending with Row 1—(112-124-136) (94-103-115) sts. **SHAPE RAGLAN ARMHOLES:** At the beg of each of the next 2 rows bind off (3-6-9) (1-3-7) sts. **SHAPE V-NECK:** Work (53-56-59) (46-48-50) sts, join another ball of yarn and bind off (0) (0-1-1) st, work last (53-56-59) (46-48-50) sts. Working on both sides at once, at each arm edge dec 1 st every other row (36-38-40) (32-33-35) times, and **AT THE SAME TIME**, at each neck edge dec 1 st every 4th row (17-18-19) (14-15-15) times. Fasten off.

**FINISHING:** Sew sleeves to back and front armholes. Sew underarm seams. **NECKBAND:** With right side facing you on first d p needle K (34-36-38) (28-31-31) sts from holder; on 2nd d p needle pick up (55-57-59) (47-52-54) sts along left front neck edge, including sts from holder; on 3rd d p needle pick up (56-58-60) (48-53-55) sts along right front neck edge, including sts from holder. Round 1: K 1, P 1 in ribbing to last 3 sts of 2nd needle, K 3; at beg of 3rd needle, K 3, P 1, \* K 1, P 1, repeat from \* to end of round. Round 2: K 1, P 1 in ribbing to last 3 sts of 2nd needle, K 2 tog, K 1; on 3rd needle, K 1, sl 1, K 1, pssso, P 1, \* K 1, P 1, repeat from \* to end of round. Round 3: K 1, P 1 in ribbing, being

sure to follow pattern at point of V. Repeat Rounds 2 and 3 until piece measures 1½ inches. Bind off. Steam lightly.

# **CARDIGAN WITH SADDLE SHOULDER**



***Shown in Berella Sportspun Tweed***



**Refer to pages [2](#) and [3](#) for Material-Needle-Gauge-Size Information.**

**BACK:** Using smaller needles, cast on (114-126-138) (96-106-116) sts. K 1, P 1 in ribbing for 1½ inches. Change to larger needles and work even in stockinette st until piece measures (15-15½-15½) inches. **SHAPE ARMHOLES:** At the beg of each of the next 2 rows bind off (5-7-9) (5-6-7) sts. Dec 1 st each end of needle every other row (4-5-6) (3-4-6) times. Work even on (96-102-108) (80-86-90) sts until armholes measure (7¼-7¾-8¼) inches. **SHAPE SHOULDERS:** At the beg of each of the next 4 rows bind off (10-11-12) (8-9-10) sts. At the beg of each of the next 2 rows bind off (10-11-12) (9-10-10) sts. Bind off remaining (36) (30) sts.

**POCKET LINING:** Make 2. Using larger needles, cast on (30) (26) sts. Work even in stockinette st for 4 inches, ending with a K row. Sl sts onto a holder.

**RIGHT FRONT:** Using smaller needles, cast on (73-79-85) (63-69-73) sts. Row 1: K (9) (8), Sl 1, K (9) (8), P 1, put a marker on needle (front band and facing), K 1, \* P 1, K 1, repeat from \* across row. Row 2: P 1, \* K 1, P 1, repeat from \* to marker, K 1, P (19) (17). Row 3: K (9) (8), sl 1, K (9) (8), \* P 1, K 1, repeat from \* across row. Repeat the last 2 rows until piece measures 1½ inches, ending with Row 2. Change to larger needles. Row 1: K (9) (8), sl 1, K (9) (8), P 1, K to end of row. Row 2: P to marker, K 1, P (19) (17). Repeat these 2 rows until piece measures 5½ inches, ending with Row 2. **POCKET OPENING:** K (9) (8), sl 1, K (9) (8), P 1, K (40-42-44) (37-39-41) and sl last (30) (26) sts just

worked onto a holder, K to end of row. **INSERT POCKET:** P to pocket opening, P the sts of one pocket lining onto same needle, work in pattern as established to end of row. Work even in pattern as established on all (73-79-85) (63-69-73) sts until piece measures (15-15½-15½) inches, ending at arm edge. **SHAPE ARMHOLE AND NECK:** Row 1: Bind off (5-7-9) (5-6-7) sts, work to end of row. Row 2: K (9) (8), sl 1, K (9) (8), P 1, K 2 tog (neck dec), K to last 2 sts, K 2 tog (arm dec). Continue to dec 1 st at arm edge every other row (3-4-5) (2-4-5) times more, and **AT THE SAME TIME**, dec 1 st outside marker every 4th row (13) (11) times more. When all neck decs have been completed, work even in pattern as established on (50-53-56) (43-46-48) sts until armholes measure (7¼-7¾-8¼) inches. **SHAPE SHOULDER:** At arm edge bind off (10-11-12) (8-9-10) sts twice and (10-11-12) (9-10-10) sts once. Work even in pattern as established on remaining (20) (18) sts for 6 inches more. Bind off.

**LEFT FRONT:** Using smaller needles, cast on (73-79-85) (63-69-73) sts. Row 1: K 1, (P 1, K 1) (26-29-32) (22-25-27) times, put a marker on needle, P 1, K (9) (8), sl 1, K (9) (8). Row 2: P (19) (17), K 1, P 1 in ribbing to end of row. Row 3: K 1, \* P 1, K 1, repeat from \* to marker, P 1, K (9) (8), sl 1, K (9) (8). Repeat the last 2 rows for 1 inch, ending with Row 3. **DOUBLE BUTTONHOLES:** Starting at front edge, P 2, bind off the next (4) (3) sts, P until there are 7 sts on needle after last bound off st, bind off the next (4) (3) sts, work in pattern as established to end of row. On the next row cast on (4) (3) sts over each group of sts bound off previous row. Make 4 more double buttonholes, evenly spaced—the last one to be made 2 rows below start of neck shaping. Finish to correspond to right front, reversing all shaping and placing of


pocket. TO DEC FOR NECK SHAPING: K to 2 sts before marker, sl 1, K 1, pssso, work in pattern as established to end of row.

**SLEEVES:** Work to correspond to sleeves of Classic Pullover with Saddle Shoulder until piece measures (18<sup>3</sup>/<sub>4</sub>-19<sup>1</sup>/<sub>4</sub>-19<sup>1</sup>/<sub>2</sub>) inches—(90-96-102) (76-80-86) sts.

**SHAPE CAP:** At the beg of each of the next 2 rows bind off (5-7-9) (5-6-7) sts. Dec 1 st each end of needle every other row (5-6-7) (6-9-11) times and then EVERY ROW (24) (18-16-16) times—(22) (18) sts. Work even on remaining (22) (18) sts until saddle is same length as shoulder. Bind Off.

**FINISHING:** Sew front and back shoulder to saddle. Sew underarm and sleeve seams. Fold bands on sl st and sew in place. Seam back and sew to back of neck. Finish buttonholes. **POCKET BANDS:** Sl (30) (26) sts of pocket onto smaller needles. Join yarn and K 1, P 1 in ribbing for 1 inch. Bind Off. Sew pocketbands and linings in place. Steam seams. Sew on buttons.

# V-NECK CABLE CARDIGAN



## ***Shown in Berella Sportspun Tweed***

**Refer to pages [2](#) and [3](#) for Material-Needle-Gauge-Size Information.**

**BACK:** Work in same manner as back of Cardigan with Saddle Shoulders until piece measures (15-15½-15½) inches —(114-126-138) (96-106-116) sts. **SHAPE ARMHOLES:** At the beg of each of the next 2 rows bind off (5-7-9) (5-6-7) sts. Dec 1 st each end of needle every other row (4-5-6) (3-4-6) times. Work even on (96-102-108) (80-86-90) sts until armholes measure (9-9½-10) inches. **SHAPE SHOULDERS:** At the beg of each of the next 4 rows bind off (10-11-12) (8-9-10) sts. At the beg of each of the next 2 rows bind off (10-11-12) (9-10-10) sts. Bind off remaining (36) (30) sts.

**CABLE PATTERN:** To be worked on 12 sts as designated.

Row 1: P 2, K 8, P 2.

Row 2 and all even rows: K 2, P 8, K 2.

Row 3: P 2, sl next 3 sts onto cable needle and hold in **BACK** of work, K next 3 sts, K 3 sts from cable needle, K 2, P 2.

Row 5: Repeat Row 1.

Row 7: P 2, K 3, sl next 3 sts onto cable needle and hold in **FRONT** of work, K next 2 sts, K 3 sts from cable needle, P 2.

Row 9: Repeat Row 1.

Row 10: Repeat Row 2.

**RIGHT FRONT:** Using smaller needles, cast on (73-79-85) (63-69-73) sts. Row 1: K (9) (8), sl 1, K (9) (8), put a marker on needle (front band and facing), P 2, \* K 1, P 1 repeat from \* across row. Row 2: K 1, P 1 in ribbing to 2 sts before marker, K 2, P (19) (17). Row 3: K (9) (8), sl 1, K (9) (8), P 2; K 1, P 1 in ribbing to end of row. Repeat the last 2 rows until piece measures 1½ inches, ending with Row 2. Change to larger needles. Row 1: K (9) (8), sl 1, K (9) (8), work Row 1 of pattern st on next 12 sts, put a marker on needle, K to end of row. Row 2: P to first marker, work Row 2 of pattern st to 2nd marker, P to end of row. Continue in this manner to work 12 sts between markers in pattern st and remaining sts in pattern as established until piece measures (7-7½-7½) inches, ending with Row 2. **SHAPE NECK:** Work in pattern as established to 2nd marker, K 2 tog (neck dec), K to end of row. Continue in this manner to dec 1 st outside cable pattern every 8th row (13) (11) times more, and **AT THE SAME TIME**, when piece measures (15-15½-15½) inches, ending at arm edge, **SHAPE ARMHOLE:** At arm edge bind off (5-7-9) (5-6-7) sts. Dec 1 st at same edge every other row (4-5-6) (3-5-6) times. When all neck decs have been completed, work even in pattern as established on (50-53-56) (43-46-48) sts until armhole measures (9-9½-10) inches. **SHAPE SHOULDER:** At arm edge bind off (10-11-12) (8-9-10) sts twice and (10-11-12) (9-10-10) sts once—(20) (18) sts. Work even in pattern as established on remaining (20) (18) sts for 3 inches more. Bind off.


**LEFT FRONT:** Using smaller needles, cast on (73-79-85) (63-69-73) sts. Row 1: (P 1, K 1) (26-29-32) (22-25-27) times, P 2, put a marker on needle, K (9) (8), sl 1, K (9) (8). Row 2: P to marker, K 2; P 1, K 1 in ribbing to end of row. Row 3: (P 1, K 1) (26-29-32) (22-25-27) times, P 2, K (9) (8), sl 1, K (9) (8). Repeat the last 2 rows for 1 inch, ending with Row 3. **DOUBLE BUTTONHOLES:** Starting at front edge, P 2, bind off the next (4) (3) sts, P until there are 7 sts on needle after last bound off st, bind off the next (4) (3) sts, work in pattern as established to end of row. On the next row cast on (4) (3) sts over each group of sts bound off previous row. Make 2 more sets of double buttonholes, evenly spaced—the last one to be made 2 rows below start of neck shaping. Finish to correspond to right front, reversing placing of cable pattern and all shaping. **TO DEC FOR NECK SHAPING:** K to 2 sts before first marker, sl 1, K 1, pssso, work in pattern as established to end of row.

**SLEEVES:** Work in same manner as sleeves of Cardigan with Saddle Shoulders until piece measures (18<sup>3</sup>/<sub>4</sub>-19<sup>1</sup>/<sub>4</sub>-19<sup>3</sup>/<sub>4</sub>) inches—(90-96-102) (76-80-86) sts. **SHAPE CAP:** At the beg of each of the next 2 rows bind off (5-7-9) (5-6-7) sts. Dec 1 st each end of needle every other row for (6-6<sup>1</sup>/<sub>2</sub>-7) inches. At the beg of each of the next 6 rows bind off (4) (3) sts. Bind off remaining sts.

**FINISHING:** Sew underarm, shoulder and sleeve seams. Set in sleeves. Fold neck band on sl st, seam at centre back and sew in place. Finish buttonholes. Steam seams. Sew on buttons.



## BOAT NECK PULLOVER



## ***Shown in Berella "4"***

**Refer to pages [2](#) and [3](#) for Material-Needle-Gauge-Size Information.**

### **PATTERN STITCH FOR BACK AND FRONT**

Row 1: P (5) (8-7-6), \* K 6, P 6, repeat from \*, ending P (5) (8-7-6) instead of P 6.

Row 2 and all even rows: K (5) (8-7-6), \* P 6, K 6, repeat from \*, ending K (5) (8-7-6) instead of K 6.

Row 3: P (5) (8-7-6), \* (skip next st, K next st, K skipped st) 3 times, P 6, repeat from \*, ending P (5) (8-7-6) instead of P 6.

Row 5: P (5) (8-7-6), \* (skip next st, K in BACK of next st, K skipped st) 3 times, P 6, repeat from \*, ending P (5) (8-7-6) instead of P 6.

Row 6: Repeat Row 2.

Repeat Rows 3 through 6 for pattern stitch.

**BACK:** Using smaller straight needles, cast on (112-124-136) (94-104-114) sts. K 1, P 1 in ribbing for 2 inches.

Change to larger needles and work even in pattern st until piece measures (15-15½-15½) inches. SHAPE

**ARMHOLES:** At the beg of each of the next 2 rows bind off (5-6-8) (4-7-8) sts. Dec 1 st each end of needle every other row (3-5-6) (3-4-5) times. Work even in pattern as

established on (96-102-108) (80-86-90) sts until armholes measure (7-7½-8) inches. Then K 1, P 1 in ribbing until armholes measure (8½-9-9½) inches. **SHAPE SHOULDERS:** At the beg of each of the next 4 rows bind off (7-8-9) (6-7-8) sts. At the beg of each of the next 2 rows bind off (7-8-9) (6-7-7) sts. Bind off remaining (54) (44) sts.

**FRONT:** Work to correspond to back.

## **PATTERN STITCH FOR SLEEVES**

Row 1: P (3) (5), repeat from \* of Row 1 of pattern st, ending P (3) (5) instead of P 6.

Rows 2 and 4: K (3) (5), repeat from \* of Row 2, ending K (3) (5) instead of K 6.

Row 3: P (3) (5), repeat from \* of Row 3, ending P (3) (5) instead of P 6.

Row 5: P (3) (5), repeat from \* of Row 5, ending P (3) (5) instead of P 6.

Row 6: Repeat Row 2.

Repeat Rows 3 through 6 for pattern stitch for sleeves.

**SLEEVES:** Using smaller straight needles, cast on (60) (52) sts. K 1, P 1 in ribbing for 2 inches. Change to larger needles and working in pattern st, inc 1 st each end of needle every (1¾-¾) (1-1¾) inch (14-18-21) (11-14-17) times, forming new patterns as sts are increased. Work even in pattern as established on (88-96-102) (74-80-86) sts until piece

measures (18<sup>3</sup>/<sub>4</sub>-19<sup>1</sup>/<sub>4</sub>-19<sup>3</sup>/<sub>4</sub>) inches. **SHAPE CAP:** At the beg of each of the next 2 rows bind off (5-6-8) (4-7-8) sts. Dec 1 st each end of needle every other row for (5<sup>1</sup>/<sub>2</sub>-6-6<sup>1</sup>/<sub>2</sub>) inches. At the beg of each of the next 6 rows bind off (4) (3) sts. Bind off remaining sts.

**FINISHING:** Sew underarm, shoulder and sleeve seams. Set in sleeves. Steam lightly.

**COMPARISON CHART, GRAMS AND OUNCES**

**First by even ounces:**

**Then by Grams:**

1 ounce is equal to	28.4 Grams	25 Grams are equal to	.88 ounces
1½ ounces are equal to	42.6 Grams	40 Grams are equal to	1.40 ounces
2 ounces are equal to	56.8 Grams	50 Grams are equal to	1.76 ounces
4 ounces are equal to	113.6 Grams	100 Grams are equal to	3.52 ounces



*FAMILY STYLES—Ask your Bernat dealer for Booklet No. 137, the Woman's Basic Six, and make these styles. There is also a Six for Youngsters and Juniors, Booklet No. 148, with directions for sizes 4 thru 14. These great Classics were all completely revised to include the complete directions for both Sports and Worsted Weight yarns.*

## Transcriber's Notes

- Silently corrected a few typos.
- Retained publication information from the printed edition: this eBook is public-domain in the country of publication.
- In the text versions only, text in italics is delimited by \_underscores\_.

[The end of *Bernat Big 6 [Sweaters to Knit and Crochet]* by Bernat Yarns Limited]